

Modelo

descrição

PVP S/IVA

DVA Array
Digital Vertical Array

DVA T4	Active 3-Way Line-Array Module, 1x 8" Neo Woofer, Bandpass Design, 1x 6.5" hornloaded Neo Midrange Woofer incl. Phaseplug, 2x1" Neo Compression Driver with 100°x15° CD-Horn, integrated Class-T Amp, 420 W / RMS, 24-bit DSP 96 KHz Sampling_Rate, 24-Bit AD-Converter, analog input limiter + 3-Band Compressor, PFC-Switchmode Supply, Polypropylen-Plastic Housing with integrated Flyware, 16 switchable presets, XLR-Input, XLR-Paralell-Output, Neutrik PowerCon incl. Slave-Out, 80 – 19.000 Hz, 128 dB SPL peak. Dimesions: 580x240x327mm, Weight 14 kg	1.481,60 €
DVA T4 White	Same as DVA T4 but in white	1.599,20 €
DVA S08	12" high power active bass-reflex subwoofer, 12"RCF Neodym Woofer, strong birch multiplex wood housing finished of with rugged black varnish, solid metal front grill, M20 thread on the top and side. Equipped with a 800W/RMS digipro digital power amp including switch mode supply. With powercon in and out for mains connection. 800 W/RMS digipro®, max. SPL: 131 dB, Stereo Aktive X-Over, DSP 24 Bit/ 48 kHz. Weight: 26 kg, Dimensions: 370x515x500mm	1.176,00 €
DVA S09	Active Band-Pass Subwoofer, 1 x 15" RCF neodym-woofer with 4" Voice-Coil, birch multiplex housing, 4 handles, M20 thread for speaker pole, fly-hardware optionally avail., 1000 W/RMS digipro® Class-D power amp incl. switched mode supply with PFC, convection cooling, active x-over @ 90/120 Hz, phase reverse switch, soft-clip-Limiter, SPL 134dB peak, Weight 37,5kg, Dimensions: 515x440x720mm. Blue wheels can be optionally fitted.	1.599,20 €
DVA S09 white	Active Band-Pass Subwoofer, 1 x 15" RCF neodym-woofer with 4" Voice-Coil, birch multiplex housing, 4 handles, M20 thread for speaker pole, fly-hardware optionally avail., 1000 W/RMS digipro® Class-D power amp incl. switched mode supply with PFC, convection cooling, active x-over @ 90/120 Hz, phase reverse switch, soft-clip-Limiter, SPL 134dB peak, Weight 37,5kg, Dimensions: 515x440x720mm. Blue wheels can be optionally fitted. WHITE Version	1.716,80 €
DVA S10	Active Bandpass subwoofer, 18mm birch multiplex cabinet, black structured paint, 18" RCF Neodymium woofer, 1000W/RMS Class-D power amplifier, integrated active x-over, switchable 90/120Hz, 6 handles, M20 thread on top, phase reverse switch, soft clip limiter, freq.response 40Hz-150Hz, 136dB SPL	2.117,90 €
DVA S20	Active double 18" Neodym Subwoofer, Bassreflex Design, Birchwood Housing, 2x RCF18" Neodym Woofer with a 4" Voice Coil, integrated Class-D Amp, 2000 W/RMS, PFC.Switchmode-Supply, active X-over with switchable crossover frequency , , XLR-Input, XLR-Paralell-Output, Neutrik PowerCon incl. Slave-Out. Blue Wheels can be optionally fitted. 25 – 150 Hz, 138 dB SPL peak. Dimesions: 1100x580x700mm, Weight 70kg	3.414,60 €
SDD Delay	Delay Module for DVA S10/S20, adjustable 1.5-99.5ms, delay-signal-parallel-out.	196,40 €
EASE Focus Software	Simulation-Software EASE Focus inkl. DVA Data	

DVA Accessories

DRK-10	Rigging-Kit for up to 10 x DVA T4	647,90 €
DRK-10 white	Same as DRK-10 but in white	647,90 €
DSA-4	Adapter for up to 3x DVA T4 on a speaker stand/pole or floor use through int.feet	351,80 €
SRK 10	Fly-Hardware-Set for DVA S10 for up to 2x S10 /8x DVA T4 on one DRK-10	304,50 €
SRK 09	Fly-Hardware-Set for DVA S09 for up to 1x S09 /8x DVA T4 on one DRK-10	280,40 €
SRK 09 white	Fly-Hardware-Set for DVA S09 for up to 1x S09 /8x DVA T4 on one DRK-10 white	280,40 €
TC 09S	Cover for DVA S09 Subwoofer	59,90 €
TC 10S	Cover for DVA S10 Subwoofer	69,30 €
TC 20S	Cover for DVA S20 Subwoofer	92,40 €
DS 2	Professional Pole Mount, adjustable, M20 thread	45,20 €
DRL-45	Rigging-Lift for DVA T4, Max. Height 4,50m, max. Load 300 kg	3.294,90 €
DCK-45	Cable-Set for 4x DVA T4 containing one Power-Con/EC Plug cable (10m) and 3x Power-Con Slave (0,5m) and 3x XLR Patch Cable (0,5m)	189,00 €
DCK-15	Cable-Set for 1x DVA T4 containing one Power-Con Patch Cable (0,5m) and one XLR Patch Cable (0,5m)	59,90 €
DPC-15	PowerCon Patch 0,5m	35,70 €
DAC-15	XLR-Patch 0,5m	22,10 €
DT-6	Metal-Trolley for up to 6 x DVA T4 and 1 x DRK-10, prepared for mounting 4 Bluewheels	422,10 €
DWK-20	Set with 4 x Prof. Bluewheel for DVA S20 Sub or DT-6 Trolley	45,20 €
DVA case*	Professional Flight case for 4 x T4 and 1 x DRK10	1.011,20 €
DRP	Raincover for DVA T4	45,20 €
DWB-3	Wall-Mount-Adaptor for up to 3 DVA T4 for fixed installations	351,80 €
DWB-3 white	Wall-Mount-Adaptor for up to 3 DVA T4 for fixed installations white	351,80 €
QL Pin	Quick release pin for DVA T4 & DTF brackets	21,00 €

I.V.A. não incluído à taxa legal em vigor. Esta Tabela pode ser alterada sem aviso prévio

Rua Casal do Canas n.º 4, Zona. Industrial de Alfragide 2790 204 Carnaxide
Tel: 214 180 134 :: Fax: 214 161 667 | www.garrett.pt :: geral@garrett.pt

DVX D Selfpowered, multifunctional high-end loudspeaker system, 18mm birch plywood, digipro™ digital power amp, PFC switch-mode supply, rotatable aluminum horn, RCF neodymium components
digital versatile speakers

DVX D 8	Selfpowered 2-way loudspeaker, 1x 8" RCF neodymium woofer with 2,5" VC, 1x 1" neodymium driver with 1,4" VC, rotatable CD-Horn 90°x70° integrated digipro™ Class-D power amp with 300+100 W/RMS incl. switched mode power supply, integrated 24-Bit/48KHz DSP for active splitting (1,8KHz), phase-and time alignment, 2 EQ presets (FOH/Monitor); multipurpose housing with 1 handle, 6x M8, 2x quick release connector for DTF-8 flying bracket and pole mount adaptor. 45° angle for monitor applications, PowerCon mains input, frequency response (+-3dB) 100Hz - 19KHz, SPL max. 125dB; dimensions 250x425x260mm, weight 8,5kg / 18,73 lbs.	822,20 €
DVX D 10	Selfpowered 2-way loudspeaker, 1x 10" neodymium woofer with 2,5" VC, 1x 1" neodymium driver with 1,4" VC, rotatable CD-Horn 90°x70° integrated digipro™ Class-D power amp with 300+100 W/RMS incl. switched mode power supply, integrated 24-Bit/48KHz DSP for active splitting (1,6KHz), phase-and time alignment, 2 EQ presets (FOH/Monitor); multipurpose housing with 1 handle, 6x M8, 2x quick release connector for DTF-8 flying bracket and pole mount adaptor. 45° angle for monitor applications, PowerCon mains input, frequency response (+-3dB) 85Hz - 19KHz, SPL max. 127dB; dimensions 290x510x310mm, weight 11kg / 24,25 lbs.	987,00 €
DVX D 12	Selfpowered 2-way loudspeaker system, 1x12" RCF Neo Woofer with 3" voice coil, 1x1,4" neodymium HF-driver with 2,5" voice coil, rotatable aluminium horn 60°x40, integrated digipro™ Class-D power amp with 500+250W/RMS and 1000W PFC switch mode supply, integrated audio controller for active splitting (1,3KHz), phase- and time alignment, 2 EQ presets (FOH/Monitor) multipurpose housing with 3 integrated handles, 6 x aerocup-rails, 4 x M10, 4 x quick release, pole mount socket, 45° angle for monitor applications, PowerCon mains input with link-out, frequency response (+-10dB) 55Hz-20KHz, SPL max. 131dB, dimensions 370x395x625mm, weight 22kg/48.4lbs	1.481,60 €
DVX D 15	Selfpowered 2-way loudspeaker system, 1x15" RCF Neo Woofer with 3" voice coil, 1x1,4" neodymium HF-driver with 2,5" voice coil, rotatable aluminium horn 60°x40, integrated digipro™ Class-D power amp with 500+250W/RMS and 1000W PFC switch mode supply, integrated audio controller for active splitting (1,3KHz), phase- and time alignment, 2 EQ presets (FOH/Monitor) multipurpose housing with 3 integrated handles, 6 x aerocup-rails, 4 x M10, 4 x quick release, pole mount socket, 45° angle for monitor applications, PowerCon mains input with link-out, frequency response (+-10dB) 49Hz-20KHz, SPL max. 132dB, dimensions 370x395x625mm, weight 25kg/55lbs	1.599,20 €

DVX DM Selfpowered "Ultra-Low-Profile" high-end stage monitor, 18mm birch plywood, integrated digipro™ Class-D power amp, PFC switch-mode supply, rotatable aluminum horn, RCF neodymium components
digital stage monitors

DVX DM 28	Selfpowered 2-way stage monitor, 2 x 8" RCF neodymium woofers with 2,5" VC, 1 x 1" neodymium HF-driver with 1,75" VC, asymmetrical CD-Horn (30°+ 45°v), integrated digipro™ Class-D power amp with 500+250W/RMS and 1000W PFC switch mode supply, integrated audio controller for active splitting (1,6KHz), phase- and time alignment, 2 EQ presets (Fullrange/Monitor), 35° and 55° angle, PowerCon mains input with link-out, frequency response (+-10dB) 70Hz-20KHz, SPL max. 130dB, 1,5mm metal backed grill with acoustic foam rubber, dimensions 480x265x418mm, weight 14kg/30.8lbs	1.284,20 €
DVX DM 12	Selfpowered 2-way stage monitor, 1 x 12" RCF neodymium woofer with 3" VC, 1 x 1,4" neodymium CD-driver with 2,5" VC, CD-Horn (40°+ 90°), integrated digipro™ Class-D power amp with 500+250W/RMS and 1000W PFC switch mode supply, integrated audio controller for active splitting (1,28KHz), phase- and time alignment, 2 EQ presets (Fullrange/Monitor), 30° and 60° angle, PowerCon mains input with link-out, 36mm pole mount, frequency response (+-10dB) 55Hz-20KHz, SPL max. 131dB, 1,5mm metal backed grill with acoustic foam rubber, dimensions 660x305x378mm, weight 17,5kg/38,5lbs	1.481,60 €
DVX DM15	Selfpowered 2-way stage monitor, 1 x 15" RCF neodymium woofer with 3" VC, 1 x 1,4" neodymium CD-driver with 2,5" VC, CD-Horn (40°+ 90°), integrated digipro™ Class-D power amp with 500+250W/RMS and 1000W PFC switch mode supply, integrated audio controller for active splitting (1,28KHz), phase- and time alignment, 2 EQ presets (Fullrange/Monitor), 30° and 60° angle, PowerCon mains input with link-out, 36mm pole mount, frequency response (+-10dB) 55Hz-20KHz, SPL max. 131dB, 1,5mm metal backed grill with acoustic foam rubber, dimensions 660x305x378mm, weight 17,5kg/38,5lbs	1.589,70 €

DVX Accessories

DTF 8	Easy mount bracket for DVX D8, includes 2x quick release pins	139,70 €
DTF 10	Easy mount bracket for DVX D10, includes 2x quick release pins	139,70 €
DTF 12	Easy mount bracket for DVX D12, includes 2x quick release pins	210,00 €
DTF 15	Easy mount bracket for DVX D15, includes 2x quick release pins	210,00 €
QL Pin	Quick release pin for DVA T4 and all DVX-D models	21,00 €
TC8	Cover for DVX D8	35,70 €
TC10	Cover for DVX D10	35,70 €
TC12	Cover for DVX D12	41,00 €
TC15	Cover for DVX D15	45,20 €
TC12M	Cover for DVX DM12	41,00 €
TC15M	Cover for DVX DM15	45,20 €
TC28M	Cover for DVX DM28	41,00 €
TE M10	Eye-bolt set with M10-thread for DVX D12/D15	22,10 €
TE M8	Eye-bolt set with M8-thread for DVX D8/D10	22,10 €

ARENA PRO

premium passive speakers

Passive loudspeaker systems, 15mm plywood, high quality RCF components, rotatable high-frequency, wide dispersion aluminum horns, multipurpose housing (except subwoofers) and slanted backside, 12 rigging point and pole mount, PTC tweeter protection, Neutric speaker connectors, 1,5mm metal backed grill with acoustic foam rubber

ARENA 8 PRO	Passive 2-way speaker, 8" RCF woofer with 2" VC and 1" neodymium compression driver with 1,4" VC, rotatable 90°x70° aluminium-horn, 8 ohm, multifunctional housing, slanted backside, speaker pole, integrated handle, 12 professional rigging points M8 threaded, 300W/RMS, 600WPRG, 75Hz-20KHz, sensitivity 94dB 1W/1m, SPL 125dB peak, dimensions 270x458x270mm, weight 10,9 kg/24lbs, including protective cover	539,70 €
ARENA 10 PRO	Passive 2-way speaker, 10" RCF woofer with 2" VC and 1" neodymium compression driver with 1,4" VC, rotatable 90°x70° aluminium-horn, 8 ohm, multifunctional housing, slanted backside, speaker pole, integrated handle, 10 professional rigging points M8 threaded, 300W/RMS, 600WPRG, 70Hz-20KHz, sensitivity 96dB 1W/1m, SPL 127dB peak, dimensions 321x508x320mm, weight 14,2 kg/31,3lbs, including protective cover	610,10 €
ARENA 12 PRO	Passive 2-way speaker, 12" RCF woofer with 3" VC and 1,4" neodymium compression driver with 2,5" VC, rotatable 90°x70° aluminium-horn, 8 ohm, multifunctional housing, slanted backside, speaker pole, integrated handle, 12 professional rigging points M10 threaded, 500W/RMS, 1000WPRG, 60Hz-20KHz, sensitivity 100dB 1W/1m, SPL 133dB peak, dimensions 379x631x378mm, weight 22,1 kg/48,7lbs, including protective cover	846,30 €
ARENA 15 PRO	Passive 2-way speaker, 15" RCF woofer with 3" VC and 1,4" neodymium compression driver with 2,5" VC, rotatable 90°x70° aluminium-horn, 8 ohm, multifunctional housing, slanted backside, speaker pole, integrated handle, 12 professional rigging points M10 threaded, 500W/RMS, 1000WPRG, 60Hz-20KHz, sensitivity 100dB 1W/1m, SPL 133dB peak, dimensions 458x710x453mm, weight 26,2 kg/57,7lbs, including protective cover	987,00 €
ARENA SW15 PRO	Passive subwoofer, 15" RCF woofer with 3" VC, bassreflex design, 600W/RMS 1200W/PRG, 35-150Hz, sensitivity 99dB 1W/1m, SPL 132dB peak, multiplex-wood incl. 2 handles, M20 threaded shaft for pole mount, threaded shafts on the backside for a set of casters, dimensions 460x600x600mm, weight 34,8 kg/76,56lbs	751,80 €
ARENA SW18 PRO	Passive subwoofer, 18" RCF neodymium woofer with 4" VC, bassreflex design, 1000W/RMS 2000W/PRG, 28-150Hz, sensitivity 98dB 1W/1m, SPL 134dB peak, multiplex-wood incl. 2 handles, M20 threaded shaft for pole mount, threaded shafts on the backside for a set of casters, dimensions 565x700x700mm, weight 43,2 kg/95,23lbs	963,90 €

ARENA PRO

Accessories

TC SW15	Cover for Arena SW15 PRO	45,20 €
TC SW18	Cover for Arena SW18 PRO	59,90 €
WBA 810 - WBO6	Wallmount bracket, adjustable for ARENA 8 PRO / ARENA 10 PRO / LIVE210	234,20 €
WBA 08	Wallmount bracket for ARENA 8 PRO	83,00 €
WBA 10	Wallmount bracket for ARENA 10 PRO	92,40 €
WBA 12	Wallmount bracket for ARENA 12 PRO	106,10 €
WBA 15	Wallmount bracket for ARENA 15 PRO	115,50 €
TE M 8	Eyebolts Set M8 for ARENA 8 PRO and ARENA 10 PRO	14,70 €
TE M10	Eyebolts Set M10 for ARENA 12 PRO and ARENA 15 PRO	14,70 €
DS 2	Professional Pole Mount, adjustable, M20 thread	45,20 €
DWK-20	Set with 4 x Prof. Bluewheel for DVA S20 Sub or DT-6 Trolley	45,20 €

Controller

ASX 18	2-way X-over / Controller for STAGE OPERA System 2 x XLR-Input, 4 x XLR-Output, 1 HE, 18 dB 3rd with 80, 100, 200 and 250 Hz frequency cards, Bass-Output.	234,20 €
DSX 2040	Digital 2 in 4 controller, 48Khz/32-bit signal processing, dynamic range >110dB(A), 3000ms total delay, 4 parameter. EQs per in- and output, programmable x-over and routing-section, editable limiter per output, large LC-Display, bank for 30 presets, USB-interface for programming and data-transfer, 19", 1U, in- and outputs on balanced XLR.	822,20 €

HPA Amplifier

high power amplifiers

HPA 1000	Class-HD power amp with 2 x 150W @ 4Ohms, 2 x 330W @ 8 Ohms, 1 x 1020W @ 8 Ohms Damping factor >300, slew rate 50V/µs, 2 x XLR-Input, 2 x XLR-Output, 2 x Speakon-Output, 19", 2U, 482x89x402mm, weight 15 kg/33lbs	445,20 €
HPA 1400	Class-HD power amp with 2 x 740W @ 4Ohms, 2 x 440W @ 8 Ohms, 1 x 1480W @ 8 Ohms damping factor >300, slew rate 50V/µs, 2 x XLR-Input, 2 x XLR-Output, 2 x Speakon-Output, 19", 2U, 482x89x420mm, weight 17 kg/37,47lbs	539,70 €
HPA 2800	Class-HD power amp with 2 x 1400W @ 2 Ohms, 2 x 1050W @ 4 Ohms, 2 x 680W @ 8 Ohms, 1 x 2800W @ 4 Ohms damping factor >300, slew rate 50V/µs, 2 x XLR-Input, 2 x XLR-Output, 2 x Speakon-Output, 19", 2U, 482x89x420mm, weight 21 kg/46,29lbs	822,20 €
HPA 3100 L	Class-HD power amp with switch-mode supply, 2 x 1700W @ 2 Ohms, 2 x 1200W @ 4 Ohms, 2 x 800W @ 8 Ohms, 1 x 3400W @ 4 Ohm, 1 x 2400W @ 8 Ohms, damping factor >300, slew rate 50V/µs, 2 x XLR-Input, 2 x XLR-Output, 2 x Speakon-Output, 19", 2U, 482x89x420mm, weight 14 kg/30,86lbs	1.034,30 €

FLEXSYS

digital powered speakers

Selfpowered 2-way loudspeaker system, integrated digipro™ Class-D power amp, integrated audio controller for active splitting, phase- and time alignment, system setup, plywood cabinet with 12 integrated M10 rigging points, powerCon mains input

F 8	Selfpowered 2-way speaker with integrated 200W/RMS digipro® digital bi-amp power amp, 24-Bit/48KHz DSP, 1 x 8" woofer with 1,5"VC, 1" neodymium driver with rotatable asymm. 90°/40°x60° horn, 10 x M8-rigging points, 1 handle on top, 75-19.000Hz (+-3dB), cut off frequency at 2050Hz/24dB oct., max. SPL peak 121 dB, dimensions 260x420x260mm, weight 9,5 Kg / 20,94 lbs.	507,20 €
F 10	Selfpowered 2-way speaker with integrated 200W/RMS digipro® digital bi-amp power amp, 24-Bit/48KHz DSP, 1 x 10" woofer with 1,5"VC, 1" neodymium driver with rotatable asymm. 90°/40°x60° horn, 12 x M8-rigging points, 1 handle on top, 70-19.000Hz (+-3dB), cut off frequency at 2050Hz/24dB oct., max. SPL peak 125 dB, dimensions 300x483x300mm, weight 12 Kg / 26,45 lbs.	563,90 €
F 12	Selfpowered 2-way speaker with integrated 400W/RMS digipro® digital bi-amp power amp, 24-Bit/48KHz DSP, 1 x 12" woofer with 2 "VC, 1" compression driver with rotatable 90°x40° horn, 12 x M10-rigging points, 3 handles (1x top, 2x sides) 65-19.000Hz (+-3dB), cut off frequency at 1800Hz/24dB oct., max. SPL peak 127 dB, dimensions 360x610x360mm, weight 16,5 Kg / 36,37 lbs.	799,10 €
F 15	Selfpowered 2-way speaker with integrated 400W/RMS digipro® digital bi-amp power amp, 24-Bit/48KHz DSP, 1 x 15" woofer with 2 "VC, 1" compression driver with rotatable 90°x40° horn, 12 x M10-rigging points, 3 handles (1x top, 2x sides) 55-19.000Hz (+-3dB), cut off frequency at 1800Hz/24dB oct., max. SPL peak 128 dB, dimensions 430x680x430mm, weight 20 Kg / 44,09 lbs.	907,20 €
F 212	Selfpowered 2-way loudspeaker, integrated 750W/RMS digipro™ digital power amp, 2 x 12" high power woofers incl. ADC™ phase alignment, 1 x 1" RCF neodymium compression driver with 1,75" VC, rotatable 60°x40° horn, 12 x M10 rigging points, integrated tilt unit, Setups: Single/Cluster, SPL max. 132 dB 50Hz-20KHz, dimensions 360x930x500mm, weight 31,5 kg/69,44lbs	1.364,00 €
F 315	Selfpowered 3-way loudspeaker, integrated 750W/RMS digipro™ digital power amp, 1 x 15" high power woofer, 1x 6" hornloaded mid range driver, 1 x 1" compression driver with 1,5" VC, rotatable 90°x40° CD-Horn, 12 x M10 rigging points, SPL max. 131 dB, 47Hz-20KHz, dimensions 440x880x500mm, weight 31 kg/68,2lbs	1.481,60 €

class-H powered monitors

Class-H-Active-Speaker 18mm poplar Multiplex Cabinet Neutrik® XLR/Jack inputs, XLR-Parallel-Out, Limiter.

M10-2 PLUS	Bi-Amp 2-Way Active Monitor, 1x10" woofer with 2" coil, 1"Comp. Driver with CD-Horn 90°x70° rotatable, 150+50 W/ RMS, 120 dB SPL max, freq.response 70Hz-19kHz (-3dB), crossover freq. 2000Hz @24dB/octave, volume and variable EQ control, Limiter, 1,2mm metal grill black painted, 10mm acoustic foam, one handle. Multi-angle use 25°/55° Dimensions: 380x286x493	499,80 €
M12-4 PLUS	Bi-Amp 2-Way Active Monitor, 1x12" woofer with 2" coil, 1"Comp. Driver with CD-Horn 90°x70° rotatable, 250+50 W/ RMS, 126 dB SPL max, freq.response 68Hz-19kHz (-3dB), crossover freq. 1900Hz @24dB/octave, volume and variable EQ control, Limiter, 1,2mm metal grill black painted, 10mm acoustic foam, one handle. Multi-angle use 30°/60° 3xM10 threads, 35mm stand. Dimensions: 400x387x525adaptor.	657,30 €

SUBdigital
digital powered
subwoofers

Selfpowered subwoofer with digipro™ digital power amp, fits with the OPERA- and FLEXSYS-Series, plywood-housing, 2 x XLR-Input, 2 x XLR-Out (parallel/X-Over switchable) PowerCon mains input/link, M20 thread for pole mount

SUB 15 D	Selfpowered 15" subwoofer with integrated 800W/RMS digipro™ digital power amp, plywood-bandpass housing, integrated active X-Over Mono/Stereo with switchable crossover frequency 90/120Hz, SPL max.133 dB, 35-120Hz, dimensions 436x600x600mm, weight 31 kg/68,34lbs	1.057,40 €
SUB 18 D	Selfpowered 18" subwoofer with integrated 1000 W/RMS digipro™ digital power amp, plywood-bandpass housing, integrated active X-Over Mono/Stereo with switchable crossover frequency 90/120Hz, SPL max.133 dB, 35-120Hz, dimensions 530x700x600mm, weight 38 kg/83,77lbs	1.387,10 €

SUB
class-H powered
subwoofers

Low noise, high power amplifiers perfectly matched to each system's LF & HF Drivers. Active crossover with tuned slope, filters for precise directivity control at crossover point, Intelligent dynamic limiter for Max SPL, Inset carrying / lift handles and / or internal socket for stand mounting Bal XLR/ Jack combo inputs and outputs for linking Pre-Amp with Mic/Line XLR input and Gain Control. All models built with multi-ply Baltic birch

SUB 12	12" Long throw Woofer, 800 W / Music, 400 W / RMS, 127 dB SPL max, 40-150 Hz. Crossover @ 100 Hz. Dimensions 14x20x20 in, Weight 42 lbs / 19KG	624,80 €
SUB 05	Active Subwoofer, Bandpass Design, Class H power amp with 800 W / Music 400 W / RMS, 129 dB SPL max. 30-150 Hz, active Mono / Stereo X-Over @ 100 Hz. Dimensions 430x550x600 mm, Weight 27 Kg	774,90 €

OPERA digital
BiAmp Active Speaker

Selfpowered 2-way bi-amp speaker with integrated digipro digital power amp and switched mode supply (except 208/210D), convectional cooling, multipurpose housing made out of Polypropylen, asymmetric CD-Horn 80°/65°x60°, XLR- and Jack inputs with switchable MIC/LINE-sensitivity, XLR-Parallel-Out, DSP 24bit/48Khz incl. limiter, dampening, phase- and timealignment 2 sound-setups, slanted back for 45° floor monitor use, pole mount adaptor, rugged grill with acoustic foam, IEC socket, fly/wallmountbrackets and covers optionally available

OPERA 208 D	8" woofer with 1,5"VC, 1" neodymium driver with asym. CD-Horn 80°/65°x60°, Class-D Bi-Amp 150+50 W/RMS, 400 W/PRG, 24bit/48Khz DSP, frequency range 78-19.000hz (+-3dB), max. SPL peak 121dB, cut off frequency 2050Hz, dimensions 300x484x284 mm, weight 8,4 Kg/18,51 lbs.	353,90 €
OPERA 210 D	10" woofer with 1,5"VC, 1" neodymium driver with asym. CD-Horn 80°/65°x60°, Class-D Bi-Amp 150+50 W/RMS, 400 W/PRG, 24bit/48Khz DSP, frequency range 71-19.000hz (+-3dB), max. SPL peak 122dB, cut off frequency 2050Hz, dimensions 343x553x304 mm, weight 9,8 Kg/21,60lbs	374,90 €
OPERA 410 D	10" woofer with 2"VC, 1" compression driver with 1,4" VC and asym. CD-Horn 80°/65°x60°, Class-D Bi-Amp 300+100 W/RMS, 800 W/PRG, 24bit/48Khz DSP, frequency range 70-19.000hz (+-3dB), max. SPL peak 127dB, cut off frequency 1940Hz, dimensions 343x553x304 mm, weight 10,6 Kg/23,36lbs.	445,20 €
OPERA 402 D	12" woofer with 2"VC, 1" compression driver with 1,4" VC and asym. CD-Horn 80°/65°x60°, Class-D Bi-Amp 300+100 W/RMS, 800 W/PRG, 24bit/48Khz DSP, frequency range 70-19.000hz (+-3dB), max. SPL peak 128dB, cut off frequency 1870Hz, dimensions 432x655x353 mm, weight 14,1 Kg/31,08lbs.	554,40 €
OPERA 405 D	15" woofer mit 2"VC, 1" compression driver with 1,4" VC and asym. CD-Horn 80°/65°x60°, Class-D Bi-Amp 300+100 W/RMS, 800 W/PRG, 24bit/48Khz DSP, frequency range 58-19.000hz (+-3dB), max. SPL peak 128dB, cut off frequency 1870Hz, dimmesnsions 432x655x353 mm, weight 14,5 Kg/31,96lbs	610,10 €
OPERA 610 D	10" neodymium woofer with 3"VC, 1" neodymium compression driver with 1,4" VC and asym. CD-Horn 80°/65°x60°, Class-D Bi-Amp 400+200 W/RMS, 24bit/48Khz DSP, frequency range 60-20.000hz (-10dB), max. SPL peak 128dB, dimensions 343x553x304 mm, weight 9,9 Kg	704,60 €
OPERA 602 D	12" neodymium woofer with 3"VC, 1" neodymium compression driver 1,4" VC and asym. CD-Horn 80°/65°x60°, Class-D Bi-Amp 400+200 W/RMS, 1200 W/PRG, 24bit/48Khz DSP, frequency range 68-19.000hz (+-3dB), max. SPL peak 129dB, cut off frequency 1690Hz, dimensions 432x655x353 mm, weight 12,4 Kg/27,33lbs.	799,10 €
OPERA 605 D	15" neodymium woofer with 3"VC, 1" neodymium compression driver with 1,4" VC and asym. CD-Horn 80°/65°x60°, Class-D Bi-Amp 400+200 W/RMS, 1200 W/PRG, 24bit/48Khz DSP, frequency range 58-19.000hz (+-3dB), max. SPL peak 130dB, cut off frequency 1670Hz, dimensions 432x655x353 mm, weight 12,9 Kg/28,43lbs.	822,20 €

BASIC LINE 2-Way Bi-Amp Active Loudspeaker in Multi-function polypropylene housing, CD-Horn 90°x60°, XLR- and Jack Input with switchable MIC/LINE-input, XLR Parallel-Out, Built in overload and distortion softclip Limiter optional Wallmountbrackets

BiAmp Active Speaker

BASIC 100	10" dB Bass, 1" HF driver, 140 + 40 W / Music, 70 + 20 W / RMS, 117 dB SPL max, Dimensions 22x12x11 in, Weight 9 KG / 20 lbs	243,60 €
BASIC 200	12" dB Bass, 1" HF driver, 240 + 80 W / Music, 120 + 40 W / RMS, 118 dB SPL max, Dimensions 16x24x14 in, Weight 14.5 KG / 32 lbs	342,30 €
BASIC 400	12" dB Bass, 1" HF driver, 450+100 W / Music, 225+50 W / RMS, 125 dB SPL max, Dimensions 16x24x14 in, Weight 16.5 KG / 36 lbs	435,80 €
BASIC DJ	12" dB Bass, 1" HF driver, 450+100 W / Music, 225+50 W / RMS, 125 dB SPL max, special DJ-EQ setup, dimensions 16x24x14 in, Weight 16.5 KG	435,80 €

CROMO Series The Cromo Series features the ultra compact digipack digital power amplifiers, based on the successful digipro amp technology for maximum efficiency. The integrated digital sound processor (DSP) caters for perfect sound calibration of the individual speaker components. A compact multifunctional housing of the Cromo speaker line, with asymmetrical CD Horns. All Cromo models have a microphone input on XLR and Jack sockets for maximum flexibility

Cromo 8	8" dB Bass, 1" HF driver, 100W, 118 dB SPL max, Dimensions 270x435x252 mm, Weight 9,9 KG	247,80 €
Cromo 10	10" dB Bass, 1" HF driver, 200W, 121 dB SPL max, Dimensions 320x508x297 mm, Weight 12 KG	337,10 €
Cromo 12	12" dB Bass, 1" HF driver, 300W, 126 dB SPL max, Dimensions 402x615x356mm, Weight 18.5 KG	399,00 €

TWIN 128 Bi-Amp Active Loudspeaker system with 2 x 8" long throw drivers, 1" High frequency driver, 90 x60 Wave guide to accommodate horizontal or vertical operation, Neutrik® Combo XLR/ Jack input with MIC/LINE-inputs, XLR-Parallel-Out, Limiter, slanted backside (45°&30°), Flange, wallmount bracket WB 04 optional

BiAmp Active Speaker

TWIN 128	2 x 8" Woofer, 1" Horn, 140+40 W / Music, 90 +20 W / RMS, 118 dB SPL max, Dimensions 22x12x11 in, Weight 22 lbs / 10 KG	342,30 €
TWIN 128 W	Same as TWIN 128 but in white	342,30 €

K Series Active Compact Speaker, 90°x90° dispersion, with XLR- and Jack Mic/Line input and additional Stereo RCA input, soft clip limiter on the input stage, optional Handle AK50 and stand adaptors SN120/SN130 are available.

Compact Active Speaker

K 70	1x5" dB Bass + Tweeter, 100 W / Music, 50 W / RMS, 101 dB SPL max, 100 – 16.000Hz, Dimensions 170x270x185 mm, Weight 3,5 Kg	177,50 €
K 162	2 x 6,5" dB Bass + Tweeter, 130 W / Music, 65 W / RMS, 110 dB SPL max, 85 – 19.000 Hz, Dimensions 210x350x270mm, Weight 5,5 Kg	210,00 €
K 300	2 x 6,5" neodymium woofer with 1,5"VC, 1" neodymium driver with CD-Horn 80°x60°, Class-D Bi-Amp 80+40 W/RMS, 240 W/PRG, 24bit/48Khz DSP, frequency range 70-19.000hz (+-3dB), max. SPL peak 118dB, cut off frequency 1720Hz, dimensions 210x350x270 mm, weight 5 Kg/11,02lbs.	318,20 €

L Series Active broadband compact speaker incl. XLR- and Jack Mic-Line-Input and additional Stereo-RCA input, Softclip limiter, Wallmountbracket WB03, Standadaptor SN120/SN130 optionally available

Compact Active Speaker

L 80	2x5" broadband chassis with phase correction, 80 W music / 40 W RMS, 100dB SPL max, 65-17.000Hz, dimensions: 195x195x317 mm, Weight 3,1 Kg.	224,70 €
L 160	2x5" broadband chassis with phase correction, 160 W music / 80 W RMS, 103dB SPL max, 65-17.000Hz, dimensions: 195x195x317 mm, Weight 4,6 Kg.	270,90 €

from page 6 to 8

Transport Accessories

TT 01	Cover for OPERA MKI/MKII/LYRIC/Modular/Passiv 302/305	35,70 €
TT 02	Cover for Basic100, OPERA 110, Live210, TWIN	35,70 €
TT 03	Cover for Basic200 / 400	35,70 €
TT 06	Cover for K-Series & Mobile50	28,40 €
TT OP 08	Cover for OPERA 208 D	28,40 €
TT OP 10	Cover for OPERA 210 D & 410 D	35,70 €
TT OP 25	Cover for OPERA 402 D / 405 D / 602 D / 605 D	35,70 €
TC S15	Cover for SUB 15D	59,90 €
TC S18	Cover for SUB 18D	69,30 €
TC F8	Cover for Flexsys F8	35,70 €
TC F10	Cover for Flexsys F10	35,70 €
TC F12	Cover for Flexsys F12	35,70 €
TC F15	Cover for Flexsys F15	45,20 €
TC F212	Cover for Flexsys F212	83,00 €
TC F315	Cover for Flexsys F315	83,00 €
SWK-18	4 x 100mm wheels for SUB18 D	69,30 €

Speaker Poles/ Adaptors

DS-2	Speaker Pole with M20-thread for SUB 15D and SUB 18D	45,20 €
SN 120	Speaker Stand adaptor for L80/160, M80/160, K-Series	35,70 €
SN 130	microphone Stand adaptor for L80/160, M80/160, K-Series	35,70 €

Cables

C-01	PowerCon-Out cable IEC, 2m	28,40 €
C-02	Mains cable , 10m	45,20 €

Brackets / Eye Bolts		
AFL 04	3 x M10-Eye bolt for FL10	24,20 €
TE M8	4 x M8-Eye bolt for Flexsys F8/F10	18,90 €
TE M10	4 x M10-Eye bolt for Flexsys F12/15/212/315	18,90 €
WB 02	U-bracket (vertical) wallmount bracket for OPERA KI/MKII/LYRIC/Modular/Passiv	59,90 €
WB 03	Swivel and tilt wallmount bracket for L80/160, M80/160, K-Serie, black	28,40 €
WB 03 W	Swivel and tilt wallmount bracket for L80/160, M80/160, K-Serie, white	28,40 €
WB 04	U-bracket (vertical) for Basic100, OPERA 110, Live210, TWIN, black	59,90 €
WB 04 W	U-bracket (vertical) for Basic100, OPERA 110, Live210, TWIN, white	59,90 €
WB 05	Swivel and tilt bracket for OPERA MKI/MKII/LYRIC/Modular/Passiv 302/305	115,50 €
WB 07	U-bracket (vertical) for Basic 200/400	59,90 €
WB 08	U-bracket (horizontal) for OPERA LIVE 202,205,402,405	69,30 €
WB 09	Universal wall mount bracket, swivel and tilt with Ø35mm pole mount	60,90 €
WB D10	Wall bracket (U-bracket) for Opera 210D, 410 D	52,50 €
WB D25	Wall bracket (U-bracket for Opera 402D, 405D, 602D, 605D	59,90 €

OPERA 110 Mobile 10" Bass/1" HF 2-Way Bi-Amp Active Loudspeaker, 12V battery, 80+20 W / Music 40 + 10 W RMS 117 dB SPL max., multifunctional housing, adjustable Mobile Speaker XLR/jack input, MIC/Line input switchable. Microphone presence adjuster, Mixed Line out, ¼" jack, Dynamic softclip limiter. Build in 16-channel UHF receiver slanted backside (45°&30°), power amp with auto sleep mode, battery life up to 12 hours. Dimesions 550x312x280 mm, Weight 12 kg

OPERA 110 MOBILE	10" dB Bass, 1" HF, 80+20 W Music, 40+10 W/ RMS, 118 dB SPL max optional hand held or pocket transmitter UH901M or MD / UH900L Dimensions: 22x12x11 in, Weight: 26 lbs	624,80 €
OPERA 110 MOBILE TD	Opera 110 Mobile with time delay 10 m/1 m steps from 1-99 meters adjustable on 2 pots	704,60 €

Accessories Mobile

Mobile Speaker

UH 903M	UHF hand held transmitter with TG-X58 capsule, 16 switchable frequencies, 2xAAA-Batterie	186,90 €
860 M	UHF Handeld Transmitter with Condenser Capsule, 16 selectable frequencies, 2x AA batteries	92,40 €
860P	UHF pocket transmitter with 5V phantom power and adjustable sensivity PEAK-LED, 2x AA Batteries	92,40 €
LMB 100 S	Condenser lapell mic (cardioid) incl. clip and windshield, black	52,50 €
LMB 1000 S	Condenser lapell mic (omni) incl. Clip, black	83,00 €
HMB 100 S	Condenser Headset (cardioid) black	52,50 €
HMS 200 S	Discrete condenser ear-mic (omni), skin coloured	52,50 €
HMS 2000 S	Discrete condenser headset (omni), skin coloured	130,20 €
MS110	Master-Slave Set, Directional Antenna with integrated transmitter (10mW) for transmitting the complete audio Signal to any other OPERA 110 MOBILE. Range 50-80 meters	554,40 €
TT 02	Cover for OPERA 110 MOBILE	35,70 €

ARENA Series High quality passive 2-way Speaker, 15mm birch/poplar multiplex, multifunctional housing, integrated pole mount on 35mm thread, integrated Flying Passive 2-Way Speakers Points, CD-Horn 90°x70° (90°x40°) rotatable, 2x Neutrik Speakon Inputs, High Frequency Protection, impedance 8 Ohms.

ARENA 8	8" dB woofer with 1,5" voice coil, 1" HF driver, 400 W peak, 200 W / RMS, 122 dB SPL max, frequency response 100Hz-19kHz (-3dB), crossover frequency 2100 Hz, 10xM8 fly-points, Dimensions- 270x458x270 , Weight 9.3 KG / 20,5 lbs	304,50 €
ARENA 10	10" dB woofer with 2" voice coil, 1" HF driver, 600 W peak, 300 W / RMS, 125 dB SPL max, frequency response 95Hz-19kHz (-3dB), crossover frequency 2100 Hz, 10xM8 fly-points, Dimensions- 321x508x320, Weight 12,2 KG / 26,9 lbs	327,60 €
ARENA 12	12" dB woofer with 2" voice coil, 1,4" HF driver, 800 W peak, 400 W / RMS, 127 dB SPL max, frequency response 80Hz-19kHz (-3dB), crossover frequency 2000 Hz, 12xM10 fly-points,Dimensions- 379x631x378, Weight 17.8 KG / 39,3 lbs	469,40 €
ARENA 15	15" dB woofer with 2.5" voice coil, 1,4" HF driver, 800 W peak, 400 W / RMS, 129 dB SPL max, frequency response 80Hz-19kHz (-3dB), crossover frequency 2000 Hz, 12xM10 fly-points, Dimensions- 458x710x453, Weight 23,7 KG / 52 lbs	600,60 €

ARENA Series Passive bass-reflex enclosure 18mm birch Multiplex, 2x Neutrik® Speakon Inputs, black structured paint, 1xM20 thread for pole mount, 8 Ohms
Passive Subwoofers

ARENA SW 15	15" dB woofer with 3" voice coil, 1000 W/ peak, 500W/RMS, 130 dB SPL, 12dB/octave filter, Crossover frequency 150Hz, response 40Hz-150Hz, Dimensions: 470x600x600	563,90 €
ARENA SW 18	18" dB woofer with 4" voice coil, 1200 W/ peak, 600W/RMS, 132 dB SPL, 12dB/octave filter, Crossover frequency 150Hz, response 35Hz-150Hz, Dimensions: 470x600x600	704,60 €

ARENA Series
Accessories

TC SW12	Gigbag for ARENA SW12	35,70 €
TC SW15	Gigbag for ARENA SW15	45,20 €
TC SW18	Gigbag for ARENA SW18	59,90 €
WBA 810 - WB06	Wallmount bracket, adjustable, for ARENA 8 / ARENA 10 / LIVE210	234,20 €
WBA 08	Wallmount bracket for ARENA 8	83,00 €
WBA 10	Wallmount bracket for ARENA 10	92,40 €
WBA 12	Wallmount bracket for ARENA 12	106,10 €
WBA 15	Wallmount bracket for ARENA 15	115,50 €
GBA 8	Bag for Arena 8	28,40 €
GBA 10	Bag for Arena 10	28,40 €
GBA 12	Bag for Arena 12	35,70 €
GBA 15	Bag for Arena 15	35,70 €
TE M8	Eyebolts Set M8 for ARENA 8 and ARENA 10	14,70 €
TE M10	Eyebolts Set M10 for ARENA 12 and ARENA 15	14,70 €
DS 2	Professional Pole Mount, adjustable, M20 thread	45,20 €
SWK 18	4 x 100mm wheels	69,30 €

Accessories
TWIN Series

TT 02	Gig bag for OPERA 110, 201 and TWIN 128, 208	35,70 €
WB 04 / WB 04 W	Wall mount bracket for OPERA 110, 201 & TWIN 128, 208, version W in white	59,90 €

PLM Mixers
compact mixer series

PLM 5.2 USB	5 input channels, 1x mono / 2x stereo, 2 band EQ, USB interface, peak LED for Mono inputs, headphone out, Tape/CD RCA connector, external PSU	139,70 €
PLM 8.4 FX	8 input channels, 4 x mono 2 x stereo, 3 band EQ, Aux send, Stereo returns, separate master mix, control room and headphones out, dual 10-segment LED level meters, external PSU	210,00 €
PLM 16.6 FX	16 input channels, 8 x mono, 4 stereo, 3 band EQ, Aux send and returns pre/post, built in 24-bit FX DSP 99 presets, stereo 7 band graphic EQ assignable, 60mm faders, global switchable 48V phantom power, external PSU	469,40 €

Switch 6 13 into 2 Switching Unit for Speaker Demonstration Purposes.
Switch

Switch 6	2 x XLR-Input into 2x6 XLR-Output, 1 Unit with LED Display and Remote Control. Up to 6 units in parallel mode.	469,40 €
-----------------	--	----------

PU 920

UHF Diversity System

UHF Diversity System with 16 selectable Frequencies and digital pilot tone control integrated display. ½ Rack mountable hybrid Metal housing detachable Antenna (BNC), Battery status LED Display, digital Squelch - and Volume control, XLR-Out, Up to 8 Systems per TV-channel

PU 920 M	incl. hand held transmitter 920 M with beyerdynamic TG-X58 capsule (hypercardioid)	469,40 €
PU 920 L Pro	incl. Pocket transmitter 920 P with condenser lavalier mic LMB 1000M	492,50 €
PU 920 G	incl. Pocket transmitter 920 P with cable 6,3 mm Jack VH806	445,20 €
PU 920 H	incl. Pocket transmitter 920 P with condenser headset HMB 100M	492,50 €
PU 920 H Pro	incl. Pocket transmitter 920 P with condenser headset beyerdynamic VH531	610,10 €
PU 920 A	incl. Pocket transmitter 920 P with condenser ear mic HMS 200M	469,40 €
PU920 A Pro	incl. Pocket transmitter 920 P with condenser mic HMS 2000M	539,70 €
PU920 P	incl. Pocket transmitter 920 P without mic.	422,10 €
UH 920 M	hand held transmitter PU 920 only	234,20 €
UH 920 P	Pocket transmitter PU 920 only	186,90 €

PU 903

UHF Diversity System

PU 903 M	incl. hand held transmitter 903M, dynamic capsule (hypercardioid)	399,00 €
PU 903 L PRO	incl. Pocket transmitter 903P, condenser lapell mic LMB1000M	422,10 €
PU 903 G	incl. Pocket transmitter 903G, adaptor cable 6.3mm jack VH806	399,00 €
PU 903 H	incl. Pocket transmitter 903P, condenser headset HMB100M	422,10 €
PU 903 H Pro	incl. Pocket transmitter 903P, condenser beyerdynamic headset VH531	445,20 €
PU 903 A	incl. Pocket transmitter 903P, condenser ear mic HMS200M	422,10 €
PU 903 A Pro	incl. Pocket transmitter 903P, condenser headset HMS2000M	445,20 €
PU 903 P	incl. Pocket transmitter 903P, without microphone	399,00 €
UH 903 M	Hand held transmitter 903M only	186,90 €
UH 903 P	Pocket transmitter 903P only	162,80 €

PU 860

UHF Diversity System

UHF 16 channel Diversity System ½ rack mount space. Receiver with squelch and volume control, Jack-Output, incl. PSU, up to 4 parallel Systems, Battery > 20H (2 x AA 1.5V Alkaline).

PU860 M Vocal-Set	incl. hand held transmitter 860 M with free floating Condenser capsule	177,50 €
PU860 L Lavalier-Set	incl. Pocket transmitter 860 P with Condenser clip on Mic. LMB100S	210,00 €
PU860 H	incl. Pocket transmitter 860 P with condenser headset HMB 100S	224,70 €
PU860 H Pro	incl. Pocket transmitter 860 P with condenser headset beyerdynamic VH 831	327,60 €
PU860 A	incl. Pocket transmitter 860 P with condenser ear mic HMS 200S	224,70 €
PU860 A Pro	incl. Pocket transmitter 860 P with condenser mic HMS 2000S	327,60 €
PU 860 P	incl. Pocket transmitter 860 P without mic.	200,60 €
UH 860 M	hand held transmitter 860 M only	92,40 €
UH 860 P	Pocket transmitter 860 P only	92,40 €

IEM 500

UHF Mono In Ear System

UHF Mono In Ear-System, 5 frequencies available, up to 4 frequencies parallel, half rackmount space transmitter with antenna, jack input, Peak-LED, Battery > 10 hours (2x AA Alkaline-Batteries)

IEM 500 InEar - Set	Includes IEM 500 ½ rack mount space transmitter, IEM 500 R Receiver. SONY MDR-EX 51 SONY Headphones are optional.	234,20 €
IEM 500 R Receiver	UHF Mono In Ear Receiver	106,10 €
MPH 100 MKIII Earphones	In-Ears incl. 3 different ear pieces and bag. 16 ohms skin coloured	69,30 €

IEM 600 UHF Mono In Ear-System, 16 selectable frequencies 4 frequencies parallel, half rackmount space transmitter with antenna, jack input, Peak-LED, Battery > 10 hours
UHF Mono In Ear System

IEM 600 InEar - Set	Includes IEM 600 ½ rack mount space transmitter, IEM 600 R Receiver. SONY MDR-EX 51 SONY Headphones are optional.	270,90 €
IEM 600 R Receiver	UHF Mono In Ear Receiver with 16 selectable frequencies.	130,20 €
MPH 100 MKIII Earphones	In-Ears incl. 3 different ear pieces and bag. 16 ohms skin coloured	69,30 €

Accessories

PU920 / 903 Series

VH 301	Rackmount-Set for 1 x PU920/903 receiver	33,60 €
VH 507	Rackmount-Set for 2 x PU920/902 receiver	33,60 €
AS 6W	Active antenna splitter for up to 6 x PU920 / 902 receiver	399,00 €
RDA 950	Passive directional antenna 180° radiation, Signalboost 8dBi, can be used as transmitting or receiving antenna.	280,40 €
AA 900	Antenna booster with 8 or 16 dB boost incl. 20cm BNC/BNC-cable. Only with AS06 / AS6W antenna splitter > phantom power needed.	153,30 €

PU 850 / 860

VH 301	19" Rackmount Set for 1 receiver PU850/860	33,60 €
VH 507	19" Rackmount Set for 2 receivers receiver PU850/860	33,60 €

Microphones PU920

LMB 100 M	Condenser lavalier mic (cardioid) incl. Clip and wind shield, Colour: black	52,50 €
LMB 1000 M	Condenser lavalier mic (omnidirectional) incl. Clip, Colour: black	83,00 €
HMB 100 M	Condenser Headset (cardioid) Colour: black	52,50 €
HMS 200 M	Discrete condenser Ear-Mic (omnidirectional) Skin coloured	52,50 €
HMS 2000 M	Discrete condenser Ear-Mic (omnidirectional) Skin coloured	130,20 €
VH 531	Beyerdynamic OPUS54 Headset, condenser capsule incl. windshield	162,80 €
VH 506L	Adaptor cable 6,3mm jack, colour:black	22,10 €

Microphones

PU903/850/860

LMB 100 S	Condenser lavalier mic (cardioid) incl. Clip and wind shield, Colour: black	52,50 €
LMB 1000 S	Condenser lavalier mic (omnidirectional) incl. Clip, Colour: black	83,00 €
HMB 100 S	Condenser Headset (cardioid) Colour: black	52,50 €
HMS 200 S	Discrete condenser Ear-Mic (omnidirectional) Skin coloured	52,50 €
HMS 2000 S	Discrete condenser Ear-Mic (omnidirectional) Skin coloured	130,20 €
VH 831	Beyerdynamic OPUS54 Headset, condenser capsule incl. windshield	162,80 €
VH 806	Adaptor cable 6,3mm jack, colour:black	22,10 €

InEar Systems

VH 301	19" Rackmount Set for 1 transmitter IEM500 / 600 / 1100	33,60 €
VH 507	19" Rackmount Set for 2 transmitter IEM500 / 600 / 1100	33,60 €
MPH 100 MKIII Earphones	In-Ears incl. 3 different ear pieces and bag. 16 ohms skin coloured	69,30 €
RDA 950	Passive directional antenna 180° radiation, Signalboost 8dBi, can be used as transmitting or receiving antenna.	280,40 €

COMMERCIAL

AUDIO

Amplifiers

MUP340	AMPLIFIER WITH MIXER AMPLIFIER 40W RMS, 230Vac, 12Vdc OUTPUT, 100V, 70V, 40hm, 80hm, 160hm, N°3 INPUT: Mic, Mic/line, aux, 100hz cut filter control, Priority Mic	186,90 €
MUP4120	AMPLIFIER WITH MIXER AMPLIFIER 120W RMS, 230Vac, OUTPUT 100V, 70V, 40hm, N°4INPUT: MIC1,LINE1,LINE2, LINE3, Tone control treble+bass	304,50 €
UP120	POWER AMPLIFIER AMPLIFIER 120W RMS, 230Vac, OUTPUT 100V, 70V, 40hm, N°1INPUT:LINE, Tone control treble+bass	257,30 €

Wall speakers		
M50T	Monitor Speaker 10W 70100V input tweeter 1"+1woofer 4"	35,70 €
MW40T	Monitor Speaker 10W 8 ohm -100V input tweeter 1"+1woofer 4", wooden enclosure	69,30 €
MW65T	Monitor Speaker 20W 8 ohm -100V input tweeter 1"+1woofer 6,5", wooden enclosure	92,40 €
MK70T	Monitor Speaker 20W 8 ohm -100V input tweeter 1"+1woofer 5"	69,30 €
M90T	Monitor Speaker 20W 4ohm -100V input tweeter 1"+1woofer 6,5"	162,80 €
M100T	Monitor Speaker 20W 4 ohm -100V input tweeter 2 X dual cone 5"	186,90 €
Sound Projector		
P4WP	Sound Projector 4" 70-100V, ALLUMINIUM	45,20 €
Horn speakers		
HS1A	Round aluminium horn, 10W 100V	59,90 €
HS1RP	Rectangular plastic horn, 20W 100V	69,30 €
HS3CP	Round plastic horn, 30W 70-100V-80hm	115,50 €
Ceiling speakers		
CS5	Ceiling Speaker 5", 3-6W 70/100Volt	18,90 €
CS5C	Ceiling Speaker coax 5,25"+1", 3-6W 70/100Volt	24,20 €
CS6	Ceiling Speaker 6,5", 3-6W 70/100Volt	24,20 €
CS6C	Ceiling Speaker coax 6,5" +1", 3-6W 70/100Volt	30,50 €
CS8C	Ceiling Speaker coax 8"+1" 70/100V	59,90 €
Column speakers		
TS2/1	Column Speaker, 2 woofer + tweeter, 100V 20W, ALLUMINIO	92,40 €
TS4/1	Column Speaker, 4 woofer + tweeter, 100V 40W, ALLUMINIO	139,70 €
Megaphones		
MH2	megaphone, 4-6W coverage 200Mt	69,30 €
Microphones		
GMC-01	Gooseneck Microphone, cardioid condenser capsule, Gong, Phantom power, with 9Volt battery or main 230V	69,30 €
VMD-03	Cardioid dynamic microphone	28,40 €